

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	10	("20020138301" "20020188509" "20030227386" "20040025030" "20040167905" "4641347" "4835372" "5867821" "6021392" "7024154").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:18
S28	6	S27 and unique	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:18
S29	3	S27 and unique near5 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:19
S30	1	S27 and unique near5 activity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:20
S31	4	("20020138301" "4835372" "5867821" "6021392").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S32	1	S31 and algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S33	100	(workplace near5 element) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21

S34	9	((medical hospital) near5 equipment near5 (barcode (bar adj code)) near5 scan\$4) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S35	141	((database (data adj base)) near10 scan\$4 near5 security) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S36	3	((database (data adj base)) near10 scan\$4 near10 security near10 activit\$3) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S37	36	((database (data adj base)) near10 scan\$4 near10 activit\$3) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S38	129	(patient near10 scan\$4 near10 activit\$3) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S39	5	(patient near10 scan\$4 near10 record\$3 near10 activit\$3) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S40	1	10/549432	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S41	9	((registration adj database) same ((lookup (look adj up)) near table)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21

S42	35	((database) same ((lookup (look adj up)) near table) and (element near code)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S43	183	((database) same ((lookup (look adj up)) near table) same (barcode (bar adj code))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S44	1	(convert\$3 near5 (element adj code) near5 (barcode (bar adj code))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S45	189	((build\$3 creat\$3) near5 database) same ((lookup (look adj up)) near table)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S46	125	((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("705" "707" "709").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S47	1	10/708568 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S48	4	10/378456 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S49	5	10/027984 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21

S50	295	((build\$3 creat\$3 generat\$3) near5 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S51	7	((database (data adj base)) near5 (build\$3 creat\$3 generat\$3) near5 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S52	6	((database (data adj base)) near5 (map\$4) near5 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S53	207	((import\$3 map\$4) near10 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S54	1	((import\$3 map\$4) near10 delimit\$3 near10 (file record field) same (barcode (bar adj code))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S55	85	((database (data adj base)) near10 (import\$3 map\$4) near10 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21
S56	1	"20030227386" and (event near10 (sensor equipment badge interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 11:21

S57	33	unique near5 activity near5 code and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 13:47
S58	92750	(activity adj code) same (element adj code) delimit \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 14:38
S60	1	(activity near5 code) same (element near5 code) same delimit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 14:39
S61	25	(unique independent) near5 (activity near5 code) near5 (id code) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 15:44
S64	263	(activity) adj (id code) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705" "715" "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 15:54
S65	215	(activity) adj (id code) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 15:55
S66	52	(activity) adj (id code) near10 (patient customer user) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 15:55
S67	2	(activity) adj (id code) near10 (patient customer user) near10 unique and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 15:56

S68	16	(activity) adj (id code) near10 unique and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("707" "705").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 15:57
S71	94	(activity) near5 (patient doctor caregiver carereceiver) near5 (tool equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 16:06
S72	2889	"47" and (unique) adj code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 16:09
S73	1	S71 and (unique) adj code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 16:09
S74	22	S71 and (identif\$4 identification) near5 activity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 16:20
S75	58	(activity) near5 (id code) and (patient doctor caregiver carereceiver) near5 (tool equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 16:39
S76	2	(activity) near5 (id code) same (patient doctor caregiver carereceiver) near5 (tool equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 16:40

S77	6	(activity) near5 (id code) and (patient doctor caregiver carereceiver) near5 (tool equipment) near5 activity and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 16:41
S78	52	(activity) near5 index\$3 and (patient doctor caregiver carereceiver) near5 (tool equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/07 16:45
S81	8	(activity) near5 index\$3 near5 (code id) and (patient doctor caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:19
S82	8	(activity) near5 index\$3 near5 (code id) and (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:30
S83	50	(activity) near5 (code id) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:31
S84	74	(activity) near5 (machine equipment tool) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:35
S86	24	unique and (activity) near5 (machine equipment tool) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:35

S87	325	(log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:42
S88	7	(log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) same index\$3 and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:43
S91	1	(index) near5 (log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:45
S92	5	(unique) near5 (log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker user customer consumer individual) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:46
S93	2069	(unique) near5 (activity) and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:48
S94	321	(unique) near5 (activity) same (log logging record identif\$4 id) and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:49
S95	22	(unique) near5 (activity) near5 type and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:50

S96	6	(unique) near (id identif\$6) near5 (activity) near5 type and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/07/08 13:56
-----	---	--	--	----	----	---------------------

7/ 8/ 2008 3:18:36 PM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces
\ son_10_549_432_case.wsp